

TITAN SZ KOUKKULAITE

A close-up photograph of a heavy-duty metal hook block, specifically a HYVA Titan SZ model, mounted on a white lift arm. The hook block is made of cast steel and features a textured surface. It has a large, curved hook at the bottom and a series of rollers on top. The lift arm is white and has a circular opening on the left side. The background shows a grassy area and a fence.

HYVA[®] LIFT

TITAN SZ KOUKKULAITE

UUSI STANDARDI ERINOMAISUUDELLE

Uusi Hyvalift TITAN koukkulaite

Tarjoaa kestävyyttä, kevytrakenteisuutta sekä joustavuutta erilaisiin kuormankäsittelytyöihin.

Parannettu tuottavuus

- Entistä lyhyempi asennusaika pultattavan rungon ansiosta.
- Nopeammat toiminnot.
- Saatavana korkeatasoisesti maalattuna tehtaalta.

Välitämme ympäristöstä

- Painoa kevennetty.
- Uudet tukirullat vähentävät kitkaa sekä meteliä lavan siirtämisen aikana.

Prioriteettinä turvallisuus

- Erittäin kestävä ”universaali” Hydraulinen lavalukitus (ADR hyväksytty)
- Korkealaatuinen irroitettava tartuntakoukku turvamekanismilla.
- Hytin merkkivalot vaaratilanteita ehkäisemässä. Merkkivalopaneeli on suunniteltu sopimaan kaikkiin hytteihin ja sisältää kytkimen voiman ulosotolle.



Hyvalift on ISO 9001 ja ISO 14001 sertifioitu. Hyvalift on sitoutunut toimittamaan korkealaatuisia tuotteita, ympäristöystävällisesti.

TITAN SZ KOUKKULAITE


UUSI STANDARDI ERINOMAISUUDELLE

Tekniset tiedot

Hyvalift TITAN SZ	
Kapasiteetti	20 Ton / 22 Ton
O (mm)	280
T (mm)	100
H (mm)	1425 / 1450 /1570

Laitetyyppi	47-SZ	49-SZ	51-SZ	53-SZ	55-SZ	57-SZ	60-SZ	62-SZ	65-SZ
L (mm)	4700	4900	5100	5300	5500	5700	6000	6200	6500
Weight ¹ (kg)	2275	2300	2350	2375	2450	2475	2550	2575	2650
X (mm)	1000	1000	1000	1200	1200	1200	1400	1400	1400
Min / Max lavapituus	3750- 5800	3950- 6000	4100- 6150	4200- 6450	4400- 6650	4600- 6850	4650- 7100	4900- 7350	5150- 7600

¹ Paino ilman öljysäiliötä ja asennussarjaa



TITAN SZ KOUKKULAITE

UUSI STANDARDI ERINOMAISUUDELLE



Dealer:

